

25X1A
S E C R E T 150653Z CITE [REDACTED] 9432
Approved For Release 2000/06/05 : CIA-RDP69B00041R000900050015-9
25X1A
IMMEDIATE [REDACTED] INFO PRIORITY [REDACTED] 25X1A

OXCARTR MATERIEL

NO NITE ACTION

SUBJECT: ARTICLE 129 LEFT AFT FILLETS

67736
604
15 OCT 67 07 07 H

WE HAVE STARTED A PROGRAM TO PLOT FUEL LEAKS WHICH WILL HELP WHEN WE HAVE TO RESEAL TANKS. WHILE CHECKING FOR SOURCE OF A MINOR LEAK ON TOP AFT SECTION LH WING, THE AFT FILLET P/N AF342 WAS RAISED SLIGHTLY TO SEE IF FUEL WAS COMING FROM UNDER FILLET. AFTER RELEASING FILLET IT REMAINED UP APPROXIMATELY 3/8 INCH FROM FLUSH WITH THE WING AT FUSELAGE STATION 1230. WHEN MAKING THE NORMAL CHECK FOR AFT FILLET ENGAGEMENT BY APPLYING PRESSURE (IN AFT DIRECTION) THE AFT FILLET PARTIALLY DISENGAGED FROM ADJACENT FILLET FORWARD AT STATION 1143.5. AFTER REMOVING ALL LH AFT FILLETS FOR INSPECTION, A BROKEN CLIP WAS DISCOVERED ON THE AFT FIXED FILLET AT F/S 1233. FILLETS ARE INSPECTED ON EVERY POSTFLIGHT FOR SECURITY OF ATTACHMENT AND REMOVED FOR STRUCTURE INSPECTION AFTER EVERY FIFTH FLIGHT. ARTICLE 129 FILLETS WERE REMOVED AND INSPECTED AFTER FLIGHT 237 AND THE DISCREPANCY WAS FOUND PRIOR TO FLIGHT 241.

S E C R E T

BT

25X1D

Approved For Release 2000/06/05 : CIA-RDP69B00041R000900050015-9

Next 9 Page(s) In Document Exempt

Approved For Release 2000/06/05 : CIA-RDP69B00041R000900050015-9

T

T O P S E C R E T

IN 67725

OPS-10

T O P S E C R E T 150439Z CITE [REDACTED] 9425 25X1A

IMMEDIATE [REDACTED] 25X1A

[REDACTED] 25X1A

A. BX6728

B. TAKE PROGRESS REPORT

C. [REDACTED] 25X1A

D. [REDACTED] ORIGINATING STATION 25X1A

E. ETD [REDACTED] 15 OCT 0745Z 25X1A

F. ETA [REDACTED] 25X1A

[REDACTED] 25X1A

G. MANIFEST FOR TAKE ABOARD

H. [REDACTED] TAPES INCLUDED. PLS MEET AND ASSIST 25X1A

THE COURIER. EXPECT 4 PIECES 420 LBS 18 CUBE.

T O P S E C R E T TOR: 150452Z OCT 67

T O P S E C R E T

25X1D

Approved For Release 2000/06/05 : CIA-RDP69B00041R000900050015-9

Next 8 Page(s) In Document Exempt

Approved For Release 2000/06/05 : CIA-RDP69B00041R000900050015-9